



KENNISGEWING AAN ALLE WATERVERBRUIKERS: WATERBEPERKINGS (VLAK 3)

Kennis geskied hiermee ingevolge Artikel 4(3) van die Wet op Waterdienste, en Artikel 52 van die Munisipale Waterdienste Verordening van 2014 dat **effektief vanaf 1 Desember 2018** en tot verdere kennisgewing, **vlak 3 waterbeperkings** binne die Drakenstein Munisipale area van toepassing sal wees:

1: Beperkings van toepassing op alle waterverbruikers.

- a. **Natlei/besproeiing (met drinkbare water vanaf munisipale toevoer) van tuine, grasperke, blombeddings en ander plante, groentetuine, sportvelde, parke en ander oopruimtes mag slegs met 'n emmer of waterhouer voor 10:00 en na 16:00 geskied en is slegs op Dinsdae, Donderdae en Saterdag toelaatbaar. Geen outomatiese sprinkelstelsels word toegelaat nie.**
- b. Gemeenskaplike gebiede in omheinde meenthuis komplekse, sportgeriewe, skole, leerinrigtings, kwekerie en verbruikers betrokke by landbou-aktiwiteite, verbruikers met historiese tuine, arboretums en verbruikers met spesiale vereistes, soos sorgfasiliteite en dierskuilings, kan aansoek doen by die Uitvoerende Direkteur: Ingenieursdienste vir vrystelling van bogenoemde.
- c. Verbruikers wat van vorige beperkingsvlakke vrygestel is, moet weer aansoek doen om vrystellings vir vlak 3-beperkings.
- d. Geen natlei / besproeiing binne 48 uur na reënval wat voldoende versadiging bied nie. (Fasiliteite / verbruikers wat gebruik maak van boorgate, behandelde afvalwater, bronwater of putte word toegelaat).
- e. **Alle outomatiese spoel-urinale in geboue moet afgeskakel word gedurende tye wanneer sulke geboue gewoonlik ontruim word.**
- f. Alle eiendomme waar alternatiewe, nie-drinkbare waterhulpbronne gebruik word (bv. gebruik van reënwater, gryswater-hergebruik, behandelde afvalwater, bronwater, putte en boorgate) moet die toepaslike tekens aanbring en dit moet duidelik sigbaar wees vanaf 'n publieke deurgang. Waterverbruikers word sterk aangemoedig om dieselfde watertye te volg soos van toepassing op munisipale drinkwatergebruik soos hierbo uiteengesit.
- g. Daar word van alle boorgat- en putverbruikers verwag om te voldoen aan alle Nasionale Departement van Water- en Sanitasie regulasies met betrekking tot boorgat- / putverbruik, insluitend die kennisgewing in die Staatskoerant No. 41381 (Vol 631) van 12 Januarie 2018. Boorgat / putverbruik moet gemeet en gemonitor word en alle verbruikers moet rekord hou en beskikbaar stel vir inspeksie. Alle putte en boorgate, wat binne die munisipale waternetwerkarea geleë is, moet by Drakenstein Munisipaliteit geregistreer wees.
- h. **Die was of afspoel van voertuie, motorfiets of motorbote, los- of vaste strukture, paaie, sypaadjies en geplaveide gebiede (behalwe vir gesondheidsdoelindes) mag slegs met 'n emmer of waterhouer gedoen word.** Verbruikers soos abattoir- en voedselverwerkende nywerhede wat drinkbare water gebruik vir verwerking / vervaardiging of soortgelyke behandelings, kan by die Uitvoerende Direkteur: Ingenieursdienste om vrystelling aansoek doen.
- i. Die gebruik van munisipale drinkwater vir ornamentele-waterfonteine is verbode.
- j. **Opvulling of vul van swembaddens met munisipale drinkwater word slegs toegelaat** indien die swembad toegerus is met 'n nie-deurlaatbare soliede swembadbedekking. Geen outomatiese swembadopvulling word toegelaat nie. Waterwys-swembadbestuur insluitend opvul met reënwater en die herwinning van terugspoelwater word sterk aangemoedig.

2: Beperkings van toepassing op Residensiële Verbruikers

- a. Die nuwe Vlak 3 huishoudelike watertariewe (uitgesluit 15% BTW) is soos volg:
 - 0 - ≤ 6 kl - R5.92/kl
 - 6 > to ≤ 10 kl - R12.07/kl
 - 10 > to ≤ 15 kl - R15.81/kl
 - 15 > to ≤ 30 kl - R20.51/kl
 - 30 to ≤ 50 kl - R87.12/kl
 - 50 to ≤ 80 kl - R187.19/kl
 - Bo 80kl - R300.64/kl
- b. Kliënte word sterk aangemoedig om waterdoeltreffende onderdele, toebehore en tegnologieë te installeer om watergebruik by alle krane, stortkoppe en ander loodgieteronderdele te verminder.
- c. Die gebruik van draagbare of enige tydelike swembaddens is verbode.
- d. Daar word van alle inwoners verwag om nie meer as **120 liter** munisipale drinkwater per persoon per dag te gebruik, ongeag of u tuis, werk of elders is.
- e. U word aangemoedig om toilette met gryswater, reënwater of ander nie-drinkwater te spoel.

3: Beperkings van toepassing op Nie-Residensiële Verbruikers.

- a. Komersiële motorwasbesighede moet ten minste 50% van die totale water wat verbruik word, herwin.
- b. Informele motorwasondernemings kan net emmers gebruik en geen tuinslange.
- c. Die gebruik van swembadbedekking vir openbare swembaddens word sterk aangemoedig waar prakties moontlik. Geen outomatiese opvulingsisteme vir swembaddens word toegelaat nie.
- d. Was van voertuie, sleepwaens, karavane en bote met nie-drinkwater of skoonmaak met waterlose-produkte of droogskoonmaak-prosesse word sterk aangemoedig.
- e. Spuitfonteine moet streng beheer word om watergebruik te verminder. Geen outomatiese opvulstelsels word toegelaat nie.
- f. Verbruikers word aangemoedig om waterdoeltreffende onderdele, toebehore en tegnologieë te installeer om watergebruik by alle krane, stortkoppe en ander loodgieter-komponente in openbare plekke te beperk tot die vereistes van die Waterdienste Verordening.
- g. Geen nuwe landskappe of sportvelde mag geskep word nie, behalwe as dit slegs met nie-drinkwater besproei word.
- h. Vir verbruikers wat van water verskaf word in terme van spesiale kontrakte (notariële aktes, waterdiens-tussengangers of waterdiensverskaffers), sal die kontrakvoorwaardes van toepassing wees.

Let op: Enige persoon wie die bepalinge van hierdie kennisgewing oortree, is skuldig aan 'n misdryf ingevolge Artikel 124 van die Munisipale Waterdienste Verordening van 2014 en is aanspreeklik vir betaling van 'n boete van hoogstens twee duisend vyfhonderd rand per oortreding en / of die beperking van vloei en / of drukvloei na die betrokke eiendom / ontwikkelings.

DR JH LEIBBRANDT
STADSBESTUURDER
Paarl Post- 29/11/2018

NOTICE TO ALL WATER CONSUMERS: WATER RESTRICTIONS (LEVEL 3)

Notice is hereby given in terms of Section 4(3) of the Water Services Act, and Section 52 of the Municipal Water Services Bylaw of 2014 that, with effect from 1 December 2018 and until further notice, level 3 water restrictions shall apply within the Drakenstein Municipal area:

1. Restrictions applicable to all consumers of water.

- a. Watering/irrigation (with potable water from municipal supply) of gardens, lawns, flower beds and other plants, vegetable gardens, sport fields, parks and other open spaces is allowed only by using a bucket or watering container before the hours of 10:00 and after 16:00, and watering is only allowed on Tuesdays, Thursdays and Saturdays. No automatic sprinkler systems are allowed.
- b. Common areas at gated villages, sports facilities, schools, learning institutions, nurseries, and consumers involved in agricultural activities, users with historical gardens, arboretums and consumers with special requirements, such as care facilities and animal shelters, can apply to the Executive Manager: Engineering Services for exemption to the above.
- c. Consumers that were exempted from previous restrictions levels must again apply for exemptions from level 3 restrictions.
- d. No watering/irrigation within 48 hours of rainfall that provides adequate saturation. (Facilities/consumers making use of boreholes, treated effluent water, spring water or well points are allowed).
- e. All automatic flushing urinals shall be turned off in buildings during times when such buildings are normally vacated.
- f. All properties where alternative, non-potable water resources are used (e.g. rain water harvesting, grey water re-use, treated effluent water, spring water, well points and boreholes), must display the appropriate signage to this effect clearly visible from a public thoroughfare and water users are strongly encouraged to follow the same watering times as applicable to municipal drinking water use detailed above.
- g. All borehole and wellpoint users are expected to comply with all national Department of Water and Sanitation regulations pertaining to borehole/wellpoint usage, including the notice in Government Gazette No. 41381 (Vol. 631) of 12 January 2018. Borehole/wellpoint water use must be metered and all users are required to keep records and have these available for inspection. All well points and bore holes which are located within the municipal water network area must be registered with Drakenstein Municipality.
- h. Washing or rinsing of vehicles, motor cycles or motor boats, movable or immovable structures, paths, pavements and paved areas (except for health purposes), is allowed only by using a bucket or watering container. Consumers such as abattoirs and food processing industries using potable water for processing/manufacturing or similar treatments, can apply to the Executive Manager: Engineering Services for exemption.
- i. The use of municipal drinking water for ornamental water fountains or water features is prohibited.
- j. Topping up or filling of swimming pools with municipal drinking water is allowed only if pool is fitted with a non-permeable solid pool cover. No automatic pool top-up systems are allowed. Water wise pool management including rain water top up and the recovery of backwash water is strongly encouraged.

2. Restrictions applicable to Residential Consumers

- a. The new Level 3 domestic water tariffs (excluding 15% VAT) will be as follows:

0	to 6 kl	-	R5.92/kl
6	> to ≤ 10 kl	-	R12.07/kl
10	> to ≤ 15 kl	-	R15.81/kl
15	> to ≤ 30 kl	-	R20.51/kl
30	> to ≤ 50 kl	-	R87.12/kl
50	> to ≤ 80 kl	-	R187.19/kl
	Above 80kl	-	R300.64/kl
- b. Customers are strongly encouraged to install water efficient parts, fittings and technologies to minimise water use at all taps, showerheads and other plumbing components.
- c. The use of portable or any temporary play pools is prohibited.
- d. All residents are required to use no more than **120 litres** of municipal drinking water per person per day in total irrespective of whether you are at home, work or elsewhere.
- e. Consumers are encouraged to flush toilets with greywater, rainwater or other non-drinking water.

3. Restrictions applicable to Non-residential consumers.

- a. Commercial car wash business must recycle at least 50% of the total water consumed.
- b. Informal car wash enterprises to use only buckets and no hosepipes.
- c. The use of fitted pool covers for public swimming pools is strongly encouraged where practically possible. No automatic top-up systems for swimming pools are allowed.
- d. Washing of vehicles, trailers, caravans and boats with non-drinking water or cleaning with waterless products or dry steam cleaning processes is strongly encouraged.
- f. Spray fountains to be strictly managed to minimise water use. No automatic top-up systems are allowed.
- g. Consumers are encouraged to install water efficient parts, fittings and technologies to minimise water use at all taps, showerheads and other plumbing components in public places to adhere to Water Services By-law requirements.
- h. No new landscaping or sports fields may be established, except if irrigated only with non-drinking water.
- i. For users supplied with water in terms of special contracts (notarial deeds, water service intermediaries or water service providers), the contract conditions shall apply.

Note

Any person who contravenes the provisions of this notice is guilty of an offence in terms of Section 124 of the municipal Water Services Bylaw of 2014 and is liable to payment of a fine not exceeding two thousand five hundred rand per contravention and/or the restriction of flow and/or pressure flow to the property/developments in question.

Dr J H Leibbrandt
City Manager

UMASIPALA WASE DRAKENSTEIN

ISAZISO KUBO BONKE ABASEBENZISI BAMANZI: IZITHINTELO ZAMANZI (INQANABA 3)

Isaziso senziwa ngokoMgaqo 4(3) woMthetho weeNkonzo zaManzi, noMgaqo 52 woMthetho weNgingqi ka 2014 weeNkonzo zaManzi kaMasipala, ukususela ngomhla 1 eYomnga/Disembha 2018 kude kuphinde kwaziswe ukuba izithintelo zamanzi zenqanaba 3 ukuba zizakusebenza kwindawo yoMasipala wase Drakenstein:

1: Izithintelo zisebenza kubo bonke abasebenzisi bamanzi.

- Ukunkcenkeshela (ahaniiswayo abonelelwa ngumasipala) kwezitya, ingca, iintyatyambo nezinye izityalo, izitya zemifuno, amabala emidlalo, iipakinezinye iindawo eziphandle zivumeleke kuphela ngoku setyenziswa kwamabhakethi phambii kweyure ye 10:00 kunye nasemva ko 16:00. Kwaye ukunkcenkeshela kuvumeleke kuphela ngolweSibini, Lwesine kunye noMgqibelo. Ukusetyenziswa kwemibhobho yamanzi nezinkcenkesheli ezizenzelayo azivumelekanga.
- Iindawo eziqhelekileyo kwiidolophana eziphakamileyo, amaziko emidlalo, izikolo, amaziko emfundo, imizi yezityalo kwanaba bandakanyekayo kwizenzo zezolimo, abasebenzisi bezitya zembhali/mlando, amaziko emithi kwanabathengisi abanezidingo ezikhethekileyo, ezinjengamaziko okonga, nkogcina izilwanyana, bangenza isicelo kuMphathi oLawulayo: iiNkonzo zobuNjineli zifumane uxolelo koku okungasentla.
- Abathengi ababexolelwe kwizithintelo zangaphambili, kufuneka bafake isicelo sesithintelo seNqanaba 3.
- Akuvumelekanga ukunkcenkeshela kwisithuba seeYure ezi-48 emva kwemvula ezalise ngokwaneleyo. (Amaziko/abasebenzisi bamanzi afunxwa phantsi komhlaba, amanzi acocweyo, amanzi aphuma ezingxondorheni namaqula bavumelekile.
- Zonke izixhobo ezizigxulelayo zizakucinywa kwizakhiwo kumaxesha ekungekho bantu kuzo.
- Zonke iiprophi apho kusetyenziswa olunye uhlobo lwamanzi, angahanjiswayo (umzekelo, ukukhongozela kwamanzi emvula, amanzi amdaka aphinda asetyenziswe, ukucocwa kwamanzi amdaka, amanzi engxondorha, amaqula namanzi afunxwa phantsi komhlaba), kufuneka babonakalise uphawu olucacileyo kuluntu kwaye abasebenzisi bamanzi bakhuthazwa ngokumandla ukuba balandele kwalamaxesha okunkcenkeshela njengoko kuchaziwe ukusetyenziswa kwamanzi okusela kamasipala.
- Bonke abasebenzisi bamanzi afunxwa phantsi komhlaba namaqula, kulindeleke ukuba bathobele yonke imiqathango yeSebe leSizwe laManzi noCoceko ngokumalungana nabasebenzisi bamanzi afunxwa phantsi komhlaba namaqula, okuquka neGazethi kaRhulumente No. 41381 (kuMqulu 631) ka 12 eyoMqungu/Januwari 2018. Ukusetyenziswa kwamanzi afunxwa phantsi komhlaba/amaqula kufuneka kwenziwe umlinganiselo kwaye kufuneka bonke abasebenzisi bagcine ingxelo kwaye ibekhona xa kusenziwa uhlobo. Onke amaqula neendawo zokufunxa amanzi phantsi komhlaba kufuneka zibhaliswe kumasipala waseDrakenstein, ezo zabelwe kwindawo yenetwekhi kamasipala.
- Ukusetyenziswa kwamanzi ahanjiswayo ngokuthe ngqo nangokungathi ngqo, asiwa okanye avela kumzi wamanzi ahanjiswayo kamasipala ngenjongo zokunkcenkeshela izitya, ingca, iipaki, neendawo zoluntu eziphandle, akuvumelekanga Phakathi kweyure ze 10:00 neye 16:00 kwaye ukunkcenkeshela kuvumeleke kuphela ngolweziBini, ngolweZine nangemiGqibelo.
- Ukuhlamba okanye ukupulwa kweemoto, izithuthu okanye izikhithshana, izakhiwo ezishukumayo nezingashukumayo, iindledlana, iipavumente neendawo ezipheviweyo (ngaphandle kwezi zezenjongo zezempilo), kuvumeleke kuphela kuphela ngokusetyenziswa kweebhakethi okanye iimbhobhozi zamanzi. Abasebenzisi abanjengabaxheli nabavelisi bokutya abasebenzisa amanzi ahanjiswayo ngenjongo yokuvelisa okanye izenzo ezifana nook, bangafaka isicelo kuMphathi oLawulayo: iiNkonzo zobuNjineli.
- Ukusetyenziswa kwamanzi aselwayo kamasipala kumiThombo yMbhali, amanzi omboniso akuvumelekanga.
- Ukuzaliswa kweepuli zokuqubha ngamanzi okusela kamasipala kuvumeleke kuphela xa ipuli ifakelwe isigqubathelo esingasusekiyo. Akuvumelekanga ukuzalisa iipuli ngobuchwepheshe bokuzenzekela. Ulawulo ngobulumko beepuli okuquka ukuzalisa ngamanzi emvula nokucocwa kwamanzi asetyenzisiweyo kukhuthazwa ngokumandla.

2: Izithintelo ezisebenza kubasebenzisi beendawo zokuhlala

- Inqanaba 3 elitsha lamaxabiso amanzi asekhaya (kuquka i-15% yeVAT) izokuba ngokulandelayo:
0 - ≤ 6 kl - R5.92/kl
6 > to ≤ 10 kl - R12.07/kl
10 > to ≤ 15 kl - R15.81/kl
15 > to ≤ 30 kl - R20.51/kl
30 to ≤ 50 kl - R87.12/kl
50 to ≤ 80 kl - R187.19/kl
Ngentla 80kl - R300.64/kl
- Abasebenzisi bakhuthazwa ngokumandla ukuba bafakele izixhobo, iintloko nobuchwepheshe bokonga amanzi ezifanelekileyo ukucutha umlinganiselo wamanzi asetyenzisiwayo kwiitephu, iintloko zeeshawari kwanezinye izixhobo zokusebenza amanzi.
- Ukusetyenziswa kweepuli eziphathwayo nezokudlala akuvumelekanga.
- Bonke abahlali abavumelekanga ukuba basebenzise amanzi angaphezu kwee liitha ezi-120 umntu ngamnye ngosuku ngokupheleleyo, akukhathaliseki noba usekhayeni, emsebenzini okanye naphina.
- Uyakhuthazwa ukuba ugungxule ithoyilethi ngamanzi aselesetyenzisiwe, amanzi emvula okanye amanzi angaselwayo.

3: Izithinteli ezisebenza kubasebenzisi abangekho kwiindawo zokuhlala.

- Abarhwebi boshishino lokuhlambisa iimoto kufuneka bahlaziyi umlinganiselo ongange 50% yawo onke amanzi abawasebenzisayo.
- Amashishini angabhaliswanga ahlambisa iimoto asebenzise kuphela amabhakethi, hayi imibhobho yamanzi.
- Ukusetyenziswa kwezigqubathelo ezifakelwayo kwiipuli zoluntu kukhuthazwa ngokumandla apha kukwazeka khona. Akuvumelekanga ukugcwaliswa kweepuli ngobuchwepheshe bokuzenzekela.
- Ukhlanjwa kwezithuthi, izikhotshi, iikharavani nezikhithshana angaselwayo, iimveliso ezingenamanzi okanye ngenkqubo yomphunga wokucoca owomileyo kukhuthazwa ngokumandla.
- Imithombo etsitsayo kufuneka ilawulwe ngobu ngqongqo ukucutha ukusetyenziswa kwamanzi. Azivumelekanga iinkqubo zokugcwalisa ngokuzenzekela.
- Abasebenzisi bakhuthazwa ukuba bafakele izixhobo zamanzi ezifanelekileyo, iintloko nobuchwepheshe bokucutha izinga lokusetyenziswa kwamanzi kuzo zonke iitephu, iintloko zeeshawari nezinye izixhobo ezisebenza amanzi kwiindawo zoluntu ukuthobela uMthetho weNgingqi yeNkonzo zaManzi.
- Akukho kulungiswa kwemihlaba namabala emidlalo okuzakuqaliswa, ngaphandle kokuba kuzaku setyenziswa amanzi angaselwayo.
- Kubasebenzisi ababonelelwa ngamanzi ngokwenkqubo yezivumelwano ezikhethekileyo (Izenzo zengxelo, abaphathi beenkonzo zamanzi okanye ababoneleli ngeenkonzo zamanzi), imiqathango yesivumelwano izakusebenza.

Qaphela

Naye nawuphina umntu owophula izibonelelo zesi saziso unetyala lesipheno ngoMgaqo 124 woMthetho weNgingqi ka 2014 weeNkonzo zaManzi kaMasipala, kwaye unoxanduva lwentlawulo yesohlwayo engekho ngaphezu kwamaWaka amaBini namaKhulu amaHlanu eeRandi kumthetho ngamnye awaphulileyo kwakunye/okanye nesithintelo sokuziswa kwamanzi kunye/okanye ukuza ngcinezelelo oluphantsi kwi prophati /uphuhliso olo.