

Memo

To: EXECUTIVE DIRECTOR: PLANNING & ECONOMIC DEVELOPMENT
(ATTENTION: JEREMY PEKEUR)

From: MANAGER: INFRASTRUCTURE MANAGEMENT

Enquiries: L. PIENAAR

Collaborator number: 1615765

Reference number: 15/4/1 (1115) W (0489)

Date: 12 March 2020

Subject: SUBDIVISION OF THE REMAINDER OF ERF 1115 WELLINGTON

Time Limit on Conditions: These conditions will be limited to a period of 2 (two) years from the date as on the covering memo from this department. If after this period no construction has commenced (this excludes any preparatory work or site clearance) all the studies carried out for the proposed development need to be updated and revised accordingly, this shall include compliance with the latest legislation, amended legislation, latest or amended standards and revised master planning.

NOTE: This comment covers a number of disciplines and each section needs to be dealt with by a competent specialist in that field co-ordinated by the consultant managing the application. No correspondence will be entered into with individual consultants

INFORMATION REQUIRED/OUTSTANDING

Nil

THE FOLLOWING CONDITIONS WILL APPLY

1 STREETS

- 1.1 Any new roads/streets and accesses will be the responsibility of the developer, including all internal and bulk connectors; and
- 1.2 *Access is onto a proclaimed main road. Approval from the Provincial Roads Engineer is required.*

2 TRAFFIC

- 2.1 Any alterations to the existing road network will be the responsibility of the developer which includes design, approval and construction of any additional traffic control and or traffic calming measures.

3 STORMWATER

- 3.1 Any new stormwater networks will be the responsibility of the developer, including all internal and bulk connectors;
- 3.2 Pollution control measures to mitigate chemical and solid pollution must be provided at inlet and outlet structures as may be relevant;
- 3.3 Only pre-development run-off of a 1:2 year storm event will be accepted into the existing system. Provision must be made to accommodate the detention of run-off for a 1:50 year storm event; and
- 3.4 Provision must be made for an effective rainwater harvesting system to be planned and designed for all roof water. The volume of the storage facilities should be based on 0.02m³/m² roof area.

4 WATER

- 4.1 *The water system for the two portions must be separated;*
- 4.2 *The existing water connection shall remain on the portion it is located on;*
- 4.3 *The remaining portion must be provided with a separate water connection and a separate water meter to municipal specifications at actual cost;*
- 4.4 The metered connection must be installed one meter inside the erf boundary of each portion;
- 4.5 Water saving devices shall be installed in toilets, bathrooms and basins; and
- 4.6 Any existing system that is to remain shall be upgraded to minimum municipal standards.

5 WASTEWATER SERVICES

- 5.1 *The new portion must be provided with a separate wastewater connection;*
- 5.2 *The connection must be installed one meter inside the erf boundary at actual cost;*
- 5.3 A connection manhole must be constructed at each connection point to a maximum depth of 1m; and
- 5.4 Any existing system that is to remain shall be upgraded to minimum municipal standards.

6 SOLID WASTE

- 6.1 The Municipality undertakes to remove household refuse in accordance with its by-laws and shall make its own arrangements for the removal of such household refuse. Such collection shall be as a kerbside service.


7 DEVELOPMENT CHARGES

7.1 *Based on the information provided in the application, no Development Charges are payable by the developer.*

8 GENERAL

- 8.1** The developer is responsible for the funding of all connections to the bulk services and all internal works;
- 8.2** All of the works, including but not limited to; roads, stormwater, water, sewers, landscaping, irrigation, etc. shall be designed by a suitably registered (ECSA registration for the civil works and SACLAP registration for the landscaping) person and any such works shall be constructed under the supervision of such registered person. All such design plans shall be submitted to the Civil Engineering Services Department of Drakenstein Municipality for approval prior to the commencement of construction;
- 8.3** The municipality shall be represented at all site meetings for the duration of the construction of the works and to this end timeous notification of such meetings shall be supplied to the Civil Engineering Services Department;
- 8.4** All works where applicable shall be constructed to at least the minimum standards as set out in, Engineering Services: Municipal Standards;
- 8.5** Where applicable all water network, sewer network, stormwater network and road network components (downstream of the valve immediately upstream of the bulk water meter, upstream of the connection to the existing system or intersection point with the existing road) shall be a private combined system and shall be indicated as such on all documents and plans;
- 8.6** All private combined systems (including but not limited to water, sewer, stormwater, roads, irrigation, etc.) shall be the joint and severalty responsibility (including but not limited to the administration of the joint account and operation and maintenance of the system) of the members of the homeowners association/body corporate and must be noted as such in any constitution of any such body and any such constitution must be submitted for approval by council. This constitution shall be notarially linked to each separate title deed;
- 8.7** A set of accurate as-built drawings as per Drakenstein Municipality: Civil Engineering Department's Standards must be submitted at the practical completion inspection; and
- 8.8** The above conditions are to be complied with in stages.
- 8.8.1** Requirements associated with the preparation of plans, drawings, permits, agreements and approvals, shall be complied with prior to construction;
- 8.8.2** Requirements associated with the completion of construction, development charges, as-built drawings, maintenance management plans, agreements, etc. These will be complied with prior to the transfer of any property or occupation of any property/building in the phase; and

8.8.3 Proof of compliance for the requirements associated with long term operations must be available on request.



L.P. PIENAAR (Pr. Eng)

MANAGER: INFRASTRUCTURE MANAGEMENT

I:\DEVELOPMENT APPLICATIONS\15 town planning\15-4-1\2020\comments\Erf 1115 Wellington - Subdivision.docx
LP/rv