



Memo

| | |
|--------------------------|--------------------------------------------------------------------------------------------------------|
| To: | Senior Manager: Spatial Planning & Development For attention: W Hendricks/H Strijdom/C van der Bank |
| From: | Manager: Planning and Customer Services |
| Enquiries: | L Laing |
| Reference number: | 406, 5025 & 7994 |
| Date: | 5 January 2021 |
| Subject: | APPLICATION FOR CONSOLIDATION OF ERVEN 406, 5025 AND 7994, WELLINGTON |

Time Limit on Conditions: These conditions will be limited to a period of one (2) years from the date as on the covering memo from this department. After this period a re-application has to be submitted for approval by this department.

1. INFORMATION REQUIRED/OUTSTANDING

1.1. None.

2. THE FOLLOWING CONDITIONS WILL APPLY

- 2.1. Only one service cable connection per erf is allowed.
- 2.2. No trees or any type of structures may be erected under or near any new or existing electrical infrastructure.
- 2.3. All electrical equipment shall comply with Drakenstein Municipality standards and have twenty four hour access for maintenance purposes.
- 2.4. The existing supplies from the street boundary must be consolidated to one bulk supply. The position of the high tension metering unit will be determine on site.
- 2.5. A service level agreement between the municipality and the owner or developer of the development have to be arrange at Electro-Technical department (Planning and Design division - Chief Engineering Technician).

3. GENERAL

- 3.1. NRS069 Network recovery cost will apply for any additional load requirement and will be calculated according to the following as indicated in approved tariffs: **R 4 006.33 x per KVA (V.A.T. included)**. The cost as mentioned above is valid until 30 June 2021 and will escalate thereafter for each upcoming financial year which is between 1 July and 30 June.
- 3.2. The developer will be responsible to carry all cost of the electrical installation and or any request to relocate any services.
- 3.3. The network must be upgraded in order to supply any additional load requirement of the developer.
- 3.4. All upgrade and service costs must be paid at the finance section in cash before any service connection may be rendered.
- 3.5. A private registered electrical consultant as well as an installation electrician shall be used to do all designs, installations and alterations according to SANS 10142, Occupational Health and Safety Act (Act 85 of 1993) and Drakenstein Municipal by-laws prior to the development.
- 3.6. A certificate of compliance and occupational certificate has to be handed over to the Electro-Technical department (Service section) on the day the service is rendered or as the case may be.
- 3.7. The Manager: Planning and Customer Services with reference to the services and conditions has no objection to this application.

Yours faithfully


L. LAING

MANAGER: PLANNING AND CUSTOMER SERVICES

I:\B5PLAN_3\Sub_Divisions_Rezoning\2021\406_5025_7994