

# Memo

**To:** Senior Manager: Spatial Planning & Development  
For attention: W Hendricks/H Strijdom/C van der Bank

**From:** Manager: Planning and Customer Services

**Enquiries:** L Laing

**Reference number:** 6017

**Date:** 14 February 2022

**Subject:** **APPLICATION FOR SUBDIVISION, ERF 6017, PAARL**

Time Limit on Conditions: These conditions will be limited to a period of one (2) years from the date as on the covering memo from this department. After this period a re-application has to be submitted for approval by this department.

## 1. INFORMATION REQUIRED/OUTSTANDING

1.1. None.

## 2. THE FOLLOWING CONDITIONS WILL APPLY

- 2.1. Only one service cable connection per erf is allowed.
- 2.2. No trees or any type of structures may be erected under or near any new or existing electrical infrastructure.
- 2.3. All electrical equipment shall comply with Drakenstein Municipality standards and have twenty four hour access for maintenance purposes.
- 2.1. In the case where existing services crosses the adjacent erven, it will have to be removed or relocate at the cost of the owner as such that each erf must have its own cable connection from the Street boundary.
- 2.2. A service level agreement between the municipality and the owner or developer of the development have to be arrange at Electro-Technical department (Planning and Design division - Chief Engineering Technician).

### 3. GENERAL

- 3.1. NRS069 Network recovery cost will apply for this development and will be calculated according to the following as indicated in approved tariffs: **R 3 579.00 x per KVA (V.A.T. included)**. The cost as mentioned above is valid until 30 June 2022 and will escalate thereafter for each upcoming financial year which is between 1 July and 30 June.
- 3.2. The developer will be responsible to carry all cost of the electrical installation including the linkage to the infrastructure as determined by the Manager: Planning and Customer Services.
- 3.3. All upgrade and service costs must be paid at the finance section in cash before any service connection may be rendered.
- 3.4. A private registered electrical installation electrician shall be used to do all installations and alterations according to SANS 10142, Occupational Health and Safety Act (Act 85 of 1993) and Drakenstein Municipal by-laws prior to the proposed development.
- 3.5. A certificate of compliance and occupational certificate has to be handed over to the Electro-Technical Services Department (Service section) on the day the service is rendered or as the case may be.

The Manager: Planning and Customer Services with reference to the services and conditions has no objection to this application.

Yours faithfully

  
~~L LAING~~

**MANAGER: PLANNING AND CUSTOMER SERVICES**

J:\BEPLAN\_3\Sub\_Divisions\_Rezoning\202122\6017