

# **CAPE WINELANDS DISTRICT**

NAVRAE/ENQUIRIES/IMIBUZO: TELEFOON/TELEPHONE/UMNXEBA: FAKS/FAX/iFEKSI: E-POS/E-MAIL/iE-MAIL: U VERW/YOUR REF/iREF YAKHO: ONS VERW/OUR REF/iREF YETHU:

 MOLEBOGENG MASEMOLA
 Alexanderstraat 46 Alexander Street

 021-8703226
 Image: 100 molebogeng.masemola@capewinelands.gov.za

 Molebogeng.masemola@capewinelands.gov.za
 7599

15/2/6/1

2024-08-13

The City Manager Drakenstein Municipality P. O. Box 12 Paarl 7620

#### Attention: Mr Cole Petersen

Sir

### APPLICATION FOR CONSENT USE: ENVIRONMENTAL HEALTH INSPECTION REPORT, ERF 15894, PAARL

An inspection, under the Cape Winelands District Municipality Health By-Laws (Feb 2010), was conducted on the above-mentioned premises.

The following was found:

#### A. BUILDING

I. The structural condition of the building is reasonably acceptable. There are two (2) classes provided for age 0 - 1 years old which accomodates six (6) children and age 2 – 5 years old which accomodates twelve (12) children.

#### **B. KITCHEN**

I. The premises is equipped with a kitchen which prepares meals for the learners. The kitchen has a Certificate of Acceptability.

## C. SANITARY FACILITIES

I. 1 toilet is provided for the learners and potty toilets for the 0-2 years age group.

Alle korrespondensie moet aan die Munisipale Bestuurder gerig word/

## D. WATER

Municipal water is provided within the premises.

#### E. GENERAL

This Department has no objection to the granting of Consent Use of this facility which can accomodate **18** children.

This Department reserves the right to set additional requirements as need be.

Yours faithfully

acurale

Molebogeng Masemola Environmental Health Practitioner

On behalf of the Municipal Manager